

Technical Data Sheet

MicroControl Mop CC

International Article Number

151327 (50 cm)

Product classification

Microfibre mop

Composition

Backing (white): 100 % Polyester
 Inner layer: 100 % Polyester
 Fabric (blue): 100 % Polyester Microfibre



Technical data

	Typical value	Unit
Weight	128	g
Max. water absorption	250	mL

Product properties and product usage

- Application areas: Controlled Environment cleaning of floor, wall and ceiling
- Heat- and chemical resistant
- Suitable for gamma and autoclave sterilization
- Designed for use in cleanroom class ISO 5 / GMP A+B / FED209 D class 100
- Mop preparation: 220 mL per 50 cm mop

Washing recommendation:

- Ideal conditions: 60°C, avoid high alkalinity and strong bleaching activity (do not use chlorine bleach); tumble dry at low heat
- Maximum washing temperature: 95°C

Storage, transportation and disposal

Keep palletized products in a cold and dry place. Avoid exposure to direct sunlight. Product is not subject to transportation regulations for hazardous substances or chemicals. Disposal via landfill or incineration possible.

Quality approvals / Compliance with international standards

This product is manufactured conforming to appropriate standards within FHCS Quality System.

Date: 2016/03/14

All information contained herein is given according to our specifications and best knowledge without any warranty or guarantee and can be changed without further notice. The suitability of our products to our customers specific applications and conditions of use has to be determined by our customers. In particular, product users shall not be held responsible from their duty to check all health, safety and environment relevant properties of the delivered goods under their specific conditions of use.